

ROMANIAN MATHEMATICAL MAGAZINE

In $\triangle ABC$ the following relationship holds:

$$\sum_{cyc} w_a \left(\tan \frac{A}{2} - \tan \frac{B}{2} \right) \leq 0$$

Proposed by Nguyen Hung Cuong – Vietnam

Solution by Daniel Sitaru – Romania

$$\text{WLOG: } a \leq b \leq c \Rightarrow \begin{cases} w_a \geq w_b \geq w_c \\ \tan \frac{A}{2} \leq \tan \frac{B}{2} \leq \tan \frac{C}{2} \end{cases}$$

By rearrangements' inequality:

$$w_a \tan \frac{A}{2} + w_b \tan \frac{B}{2} + w_c \tan \frac{C}{2} \leq w_a \tan \frac{B}{2} + w_b \tan \frac{C}{2} + w_c \tan \frac{A}{2}$$

$$w_a \left(\tan \frac{A}{2} - \tan \frac{B}{2} \right) + w_b \left(\tan \frac{B}{2} - \tan \frac{C}{2} \right) + w_c \left(\tan \frac{C}{2} - \tan \frac{A}{2} \right) \leq 0$$

$$\sum_{cyc} w_a \left(\tan \frac{A}{2} - \tan \frac{B}{2} \right) \leq 0$$

Equality holds for $a = b = c$.